

Colloid & Polymer Science

Kolloid-Zeitschrift und Zeitschrift für Polymere
Official Journal of the Kolloid-Gesellschaft
Founded by Wolfgang Ostwald 1907,
continued by F. H. Müller, Marburg 1944–1981
and A. Weiss, Munich 1966–1986

Editors:

Prof. Dr. H.-G. Kilian, Abt. für Experimentelle Physik, Universität Ulm, Oberer Eselsberg, D-7900 Ulm

Prof. Dr. G. Lagaly, Institut für Anorganische Chemie, Universität Kiel, Olshausenstr. 40–60, D-2300 Kiel

Regional Editors:

North and South America: Prof. Dr. E. Matijević, Institute of Colloid and Surface Science, Clarkson University, Potsdam, New York 13676 (USA)

Asia: Prof. Dr. M. Nakagaki, Faculty of Pharmaceutical Sciences, Hoshi University, Ebara 2-4-41, Shinagawa-ku, Tokyo 142 (Japan)

Great Britain: Prof. Dr. R. H. Ottewill, School of Chemistry, University of Bristol, Cantock's Close, Bristol BS8 1TS (England)

Scandinavia: Prof. Dr. B. Lindman, Physical Chemistry 1, Chemical Center, Lund University, P.O. B. 124, S-22100 Lund (Sweden)

Editorial Board:

H. Finkelmann (Freiburg i. Br.)

E. W. Fischer (Mainz)

J. Fuhrmann (Clausthal-Zellerfeld)

H. Hoffmann (Bayreuth)

R. Hosemann (Berlin, West)

H. H. G. Jellinek (Potsdam, N.Y.)

G. Kanig (Ludwigshafen)

A. Keller (Bristol)

E. Killmann (Garching)

J. Koppelman (Leoben)

P. Kratochvíl (Prag)

H. Lange (Düsseldorf)

J. Lyklema (Wageningen)

W. Pechhold (Ulm)

A. Peterlin (Gaithersburg)

H. Ringsdorf (Mainz)

H. Rupprecht (Regensburg)

A. Scheludko (Sofia)

H. W. Spiess (Mainz)

G. R. Strobl (Freiburg i. Br.)

A. Weiss (München)

H. Zahn (Aachen)

Volume 265 (1987)



Steinkopff Darmstadt

Contents of Vol. 265 (1987)

Leading Contributions

Binder K: Dynamics of phase separation and critical phenomena in polymer mixtures	273
Peterlin A: Drawing and extrusion of semi-crystalline polymers	357
Theocaris PS: Synergism phenomena between phases in composites: the mesophase	461

Polymer Science

Ataman M: Properties of aqueous salt solutions of poly(ethylene oxide). Cloud points, θ temperatures	19
Bánhegyi G, Karasz FE: Dielectric properties of moist CaCO_3 filled polyethylene composites	394
Barham PJ: A quantitative model for the formation of adsorption-entanglement layers	584
Bleha T, Gajdoš: Energetics of rotation and translation in hexagonal aggregates of extended chains	574
Böhm M, v. Soden W, Heinrich W, Yehia AA: Influence of crosslinking on mechanical and dielectric properties of nitrile-butadiene-rubber	295
Cagiao ME, Rueda DR, Baltá Calleja FJ: Hardness of nitric acid treated polyethylene followed by recrystallization	37
Chaturvedi PN, Patel MJ, Patel KC, Patel RD: Morphology of trans-1,4-polysoprene	592
De Candia F, Romano G, Russo R, Vitoria V: Monoaxial drawing behaviour of isotactic polypropylene quenched at different temperatures	696
Dhont JKG, Klein R: On the interaction between macroions in solution at infinite dilution	289
Djaković L, Dokić P, Radivojević P, Šefer I, Sovilj V: Action of emulsifiers during homogenization of o/w emulsions	993
Ek CG, Kubát J, Rigdahl M: Analysis of stress relaxation behaviour with the use of Li-curves	803
Erdmann K, Gutsze A: Model of proton longitudinal magnetic relaxation in hydrated crosslinked poly(methacrylic acid) ..	667
Ferrero A, Ferracini E: X-ray study of microstructure of slightly plasticized poly-(vinylchloride) (PVC)	498
Fleischer G: The chain length dependence of self-diffusion in melts of polyethylene and polystyrene	89
Furusawa K, Anzai C: Preparation of composite fine particles by heterocoagulation	882
Gogolewski S, Galletti G, Ussia G: Polyurethane vascular prostheses in pigs	774
–, Walpoth B, Rheiner P: Polyurethane microporous membranes as pericardial substitutes	971
Grapeneter H-H, Alefeld B, Kosfeld B: An investigation of microbrownian motions in polydimethylsiloxane by complementary incoherent-neutron-scattering and nuclear-magnetic resonance experiments below room temperature	226
Hall IH, Mahmoud EA, Carr PD, Geng YD: Small-angle-X-ray scattering by crystalline polymer fibres – 1. Experimental method and investigation of the linear paracrystalline model	383
Havránek A, Ilavský M, Nedbal J, Böhm M, v. Soden W, Stoll B: Viscoelastic behaviour of model polyurethane networks in the main transition zone	8
Hennecke M, Kud A, Kurz K, Fuhrmann J: Molecular orientation in hot-drawn poly(ethylene terephthalate) films as determined from the intrinsic polarized fluorescence	674
Hikmet R, Lemstra PJ, Keller A: X-linked ultra high strength polyethylene fibres	185
Holtzscherer C, Durand J-P, Candau F: Polymerization of acrylamide in nonionic microemulsions: Characterization of the microgelates and polymers formed	1067
Hosemann R, Schulze I: Refraction effects and structural changes of hard elastic polypropylene (HEPP) during stretching	686
Hrouz J, Havlíček I, Ilavský M: The thermorheological complexity of photoelastic behaviour of 2-hydroxyethyl methacrylate – dodecyl methacrylate copolymers	1046
Ito T, Seta J, Urakawa H: Effects of pressure and solvent on the diffusion of aromatic compounds through polymers	557
Jahns E, Finkelmann H: Lyotropic liquid crystalline phase behaviour of a polymeric amphiphile polymerized via their hydrophilic ends	304
Kanig G: Further electron microscope observations on polyethylene – I. Granule structure of the melt as an artifact	855
Kato K, Kondo H, Takeda M, Esumi K, Meguro K: The effect of pH on emulsion polymerization of styrene in the presence of an amphoteric emulsifier	950
Kilian H-G, Schenk H, Wolff S: Large deformation in filled networks of different architecture and its interpretation in terms of the van der Waals network model	410
Kong XZ, Pichot C, Guillot J: Characterization of particle surface and morphology in vinyl acetate-butyl acrylate emulsion copolymers – Influence of the copolymerization pathway	791
Koyama T, Hayashi R, Yamane T, Masuda E, Kurose A, Hanabusa K, Shirai H, Haykawa T, Hojo N: Multinuclear macromolecule metal complexes – 2. Preparation and characterization of Prussian blue and its analogs bonded to poly(vinylamine hydrochloride)	786
Krisyuk BE, Popov AA, Zaikov GE, de Candia F, Vittoria V, Russo R: Mechanical properties and molecular mobility in oriented polyolefines	220
Krug H, Holoubek J, Fischer EW: Application of interactive image analysis to light scattering patterns of some polymer systems	779
Krysztafkiewicz A, Maik M: Modified precipitated silicas as polyurethane fillers	704

Litowska M, Döhler H: Hydration of synthetic polypropylenephosphate (PPP) – a simplified model for natural teichoic acids.	
– Part 3. Bound (nonfreezing water in PPP gels by the pulsed Fourier transform NMR method	106
Lühmann B, Finkelmann H: Lyotropic liquid crystalline phase behaviour of amphiphilic monomers and polymers having a rod-like hydrophobic moiety	506
Magill JH, Schultz JM, Lin JS: <i>In situ</i> SAXS investigations of isothermal crystallization in poly(TMPS) fractions	-193
Martinez-Salazar J, Sánchez Cuesta M, Baltá Calleja FJ: Equilibrium and non-equilibrium melting of branched polyethylene relating to defect incorporation within crystals	239
Matsuizawa S, Hondo Y, Kawauchi Y, Kume M, Yamaura K, Tanigami T, Ogasawara K: Crystal growth in syndiotactic poly(vinyl alcohol) hydrogels	810
Mihailov M, Minkova L: Peculiarities of thermomechanical behaviour of ultra-high molecular weight linear polyethylene and its blends with linear polyethylene of normal molecular weights	681
Milczarek P, Kryszewski M: Polyethylene-polystyrene gradient polymers. II. The swelling-induced crystallization in the PE-PS gradient polymers and modified by styrene LDPE samples	481
Minkova L, Mihailov M: A calorimetric study of normal high density and ultra-high molecular weight polyethylene blends	1
Miyajima K, Baba T, Nakagaki M: Hemolytic activity of polyoxyethylene cholesteryl ethers	943
Mohanty JN, Nayak PL, Lenka S: Determination of unperturbed dimensions of polymers in binary solvent mixtures from viscosity measurements	982
Mrkvíčková L, Prokopová E, Quadrat O: An investigation of aging aqueous poly(vinyl alcohol) solutions by the light scattering method	978
Nedeltscheva M, Bencheva S, Valcheva E, Valchev V: Study of the thermodynamics of adsorption of hydrolyzed modified polyacrylnitrile	312
Öttinger HC: A generalization of the Rouse-Zimm model	101
Ohara K, Matsuzawa S, Higuchi M: Thermally stimulated currents in poly(bis(p-fluorophenoxy)phosphazene)	860
Okubo M, Kamei S, Tosaki Y, Fukunaga K, Matsumoto T: Covalent immobilization of trypsin onto poly(2-hydroxyethyl methacrylate)/polystyrene composite microspheres by cyanogen bromide method and its enzymatic activity	957
–, Kanaiwa K, Matsumoto T: Production of anomalously shaped carboxylated polymer particles by seeded emulsion polymerization	876
–, Yamamoto Y, Uno M, Kamei S, Matsumoto T: Immunoactivity of polymer microspheres with their hydrophilic/hydrophobic heterogeneous surface sensitized with an antibody	1061
Okubo T: Microscopic observation of ordered colloids in sedimentation equilibrium and the important role of Debye screening length. 3. Heavy and monodispersed polystyrene type spheres in aqueous solution	597
Peetz L, Krüger JK, Pietralla M: Structure and anisotropy in polycarbonate – III. Study of elastic and optical properties of oriented samples with the method of high resolution Brillouin spectroscopy	761
Pefferkorn E, Nabzar L, Varoqui R: Polyacrylamide Na-kaolinite interactions: Effect of electrolyte concentration on polymer adsorption	889
Pluta M, Milczarek P, Kryszewski M: Polyethylene-polystyrene gradient polymers. III. Mechanical and rheo-optical studies of relaxation processes	490
Prokopová E, Štern P, Quadrat O: Rheological investigation of aqueous solutions of poly(vinyl alcohol) during aging. – III. Effect of the thermal prehistory of the polymer on the process of aging of concentrated solution	903
Rigbi Z: A study of the mixing of a liquid into an elastomer	406
Sariban A, Binder K, Heermann DW: Critical phenomena in polymer mixtures: Monte Carlo simulation of a lattice model	424
Sauer TH, Zimmermann HJ, Wendorff JH: Thermotropic rigid chain copolymers – I. crystallization kinetics and thermodynamic properties	210
Scheerer K, Wilke W: Wide angle X-ray diffraction studies of polytetrafluoroethylene and ethylene-tetrafluoroethylene-bipolymers in the range 9.5 K–270 K	206
Schwahn D, Yee-Madeira H: Spinodal decomposition of the polymer blend deuterous polystyrene (d-PS) and polyvinylmethyl-ether (PVME) studied with high resolution neutron small angle scattering	867
Sekine K: Analysis of dielectric observations of KCl-charged poly(methyl methacrylate) microcapsules using a two-component model consisting of KCl-permeable and KCl-impermeable capsules	1054
Shirahama K, Himuro A, Takisawa N: Binding of hexadecylammonium surfactants to water-soluble neutral polymers	96
Spei M, Holzerm R: Thermoanalytical investigations of extended and annealed keratins	965
Štern P, Prokopová E, Quadrat O: Rheological investigation of aqueous solutions of poly(vinyl alcohol) during aging – II. Influence of experimental conditions on dissolution and aging	234
Takizawa A, Higuchi M, Kinoshita T, Tsujita Y: Solubilities of polypeptides with hydrophobic and negatively charged side-chains into cationic artificial membrane vesicles	31
Thurn A, Buchard W, Niki R: Structure of casein micelles – I. Small angle neutron scattering and light scattering from β - and α -casein	653
–, –: Structure of casein micelles – II. α_{s1} -casein	897
Ueberreiter K, Ziegler D: Change of water structure by solvents and polymers – Part 4. Albumin-water solutions with acetylsalicylic, hydrochloric and ascorbic acid, lysine- and ammonium chloride and with dextrane and sorbit	908
Ueno M, Katoh S, Jonoshita Y, Akasu H, Ohmori A: A modification of the surface of the thin membranes of EVAL (ethylene vinylalcohol copolymer) by Langmuir-Blodgett films	26

Wehrle M, Hellmann GP, Spiess HW: Phenylene motion in polycarbonate and polycarbonate/additive mixtures	815
Wetzel R, Buder F, Hermel H, Hüttner A: Conformations of different gelatins in solutions and in films – An analysis of circular dichroism (CD) measurements	1036
Witte FM, Buwalda PL, Engberts JBFN: Micelle-polymer complexes as studied by the ESR spin probe technique	42
Wortmann F-J: The viscoelastic properties of wool and the influence of some specific plasticizers	126
Zosel A, Heckmann W, Ley G, Mächtle W: Chemical heterogeneity in emulsion copolymers of carboxylic monomers	113
Colloid Science	
Abe A, Imae T, Ikeda S: Solubilization properties of aqueous solutions of alkyltrimethylammonium halides toward a water-insoluble dye	637
Andersson B, Olofsson G: Differential scanning calorimetric study of phase changes in poly(ethylene glycol) dodecyl ether-water systems	318
Auvray X, Petipas C, Anthore R, Rico I, Lattes A, Samii A, Ahmeh-Zadeh, de Savignac A: Formamide a water substitute XIV (1) – waterless microemulsions – 8. Structural analysis by X-ray scattering of CTAB aggregates in formamide and in the microemulsion system (formamide, CTAB, isoctane, 1-butanol)	925
Bedő Zg, Berecz E, Lakatos I: Mass, size and shape of micelles fromed in aqueous solutions of ethoxylated nonyl-phenols.	715
Birdi KS, Gevod VS: Melittin and ionic surfactant interactions in molecular films	257
–, Larsen BR, Sanchez R: Effects of simulated acid rain on the surface tension of selected leaves	262
Breier A, Gemeiner P, Ziegelhöffer A, Turi Nagy L, Stofaniková V: Application of a time-concentration model of adsorption for determination of the nature of adsorbent-adsorbate interaction	933
Brooks BW: Radical desorption in the emulsion polymerisation of vinyl monomers	58
Burkitt SJ, Ottewill RH: Small angle neutron scattering studies on micellar systems. Part I. Ammonium octanoate, ammonium decanoate and ammonium perfluorooctanoate	619
–,–: Small angle neutron scattering studies on micellar systems. Part 2. Mixed systems of ammonium decanoate and ammonium perfluoro-octanoate	628
Bury R, Treiner, C: Enthalpy of solution of phenoxyalcohols solubilized in aqueous sodium dodecylsulfate and hexadecyltrimethylammonium bromide solutions	734
Busscher HJ, Uyen HM, Postma WJ, Van Silfhout A, Arends J: Adsorption of quaternary ammonium chlorides with various hydrocarbon chain lengths to glass	711
Chakarov V, Zembala M, Novozhilova O, Scheludko A: Determination of the regime in the reverse wilson chamber at critical supersaturation measurements	347
Cots J, Pouplana R, Estelrich J: Conformational changes in the human serum albumin-indomethacin binding	164
D'Alagni M, Giglio E, Petriconi S: Calorimetric and optical study of micellar aggregates of sodium taurodeoxycholate	517
Dawkins JV, Shakir SA: Flocculation studies of non-aqueous poly(methyl methacrylate) dispersions. – II. Stabilization with the diblock copolymer poly(styrene-b-[ethylene-co-propylene])	329
Dev S, Taniguchi A, Yamamoto T, Kubota K, Tominaga Y: New organosols of ZnS and HgS in N,N-dimethylformamide and dimethyl sulfoxide. Use in the preparation of semiconductive polymer-metal sulfide composite films	922
Drzymala J: An estimation of the surface ionization constant of oleic acid in aqueous sodium chloride solution	613
Eckert-Lill C, Lill NA, Rupprecht H: Phenylalkanol – adsorbates on silica as types of immobilized drugs – I. Chemiadsorption on activated silica surfaces	1001
Garcia ML, Valls O, Garcia S, Baucells M, Raura M, Lacort G: Optical rotatory dispersion (ORD) of glycogen	267
Georges J, Chen J-W, Arnaud N: Microemulsion structure in the lenticular monophasic areas of brine/SDS/pentanol/dodecane or hexane systems: electrochemical and fluorescent studies	45
Götze Th, Sonntag H, Rabinovitch Ya: Measurement of interaction forces between crossed quartz glass rods in presence of adsorbed macromolecules	134
Góralczyk D, Woligóra B: Effect of inorganic electrolyte concentration on anionic-cationic adsorption films – Part 1. Decylpyridinium chloride + sodium octylsulphonate + sodium chloride	728
Handa T, Tomita K, Nakagaki M: Nonideal mixing of 16-(9-anthroyloxy) palmitic acid and fatty acid in monolayer	250
Hopf W, Geidel Th: The dynamic contact angle – I. Dependence of the receding contact angle on velocity in the surfactant-containing three-phase system	1075
–, Volke K: The dynamik contact angle – II. Investigation of the adsortion mechanism based on the measurement of the preceding contact angles	1085
Imae T, Ikeda S: Characteristics of rodlike micelles of cetyltrimethylammonium chloride in aqueous NaCl solutions: their flexibility and the scaling laws in dilute and semidilute regimes	1090
Jousma H, Bouwstra JA, Spies F, Junginger HE: Freeze-fracture electron microscopy study of mesophases in mixtures of polyoxyethylene (14) oleylether and water	830
Kaneko K, Ozeki S, Inouye K: Micropore filling of NO, SO ₂ , NH ₃ and CO ₂ on α-FeOOH dispersed activated carbon fibers	436
Kashchiev D: On the stability of membrane, foam and emulsion bilayers with respect to rupture by hole nucleation	436
Kleijn JM, Lyklema J: Colloid-chemical properties of ruthenium dioxide in relation to catalysis of the photo-chemical generation of hydrogen	1105

Kurzendorfer CP, Liphard M, von Rybinski W, Schwuger MJ: Sodium-Aluminium-Silicates in the washing process Part IX.: Mode of action of zeolite A additive systems	542
Lee G, Murray S, Rupprecht H: The dispersion of hydrophilic and hydrophobic flame-hydrosed silicas in short-chained alcohols	535
Lum Wan JA, Warr GG, White LR, Grieser F: Reappraisal of neutron scattering results on micellar solutions of dodecylhexa-oxyethylene glycol monoether ($C_{12}E_6$)	528
Makino K, Ohshima H, Kondo T: Potential distribution across membranes with surface-charge layers. Effects of ionic solubility -, -, -: Electrostatic interaction of ion-penetrable membranes. Effect of ionic solubility	336
Matijević E, Cimlaš Š: Formation of uniform colloidal iron (III) oxides in ethylene glycol-water solutions	911
Miller DJ: Coalescence in crude oil emulsions investigated by a light transmission method	155
Morita Y, Yoshida M, Asano M, Kaetsu I: New functional microspheres with active succinimide groups	342
Nakano Y, Komiyama J, Iijima T: Charge-transfer interaction of some pyridinium salts with hen egg-white lysozyme	916
Ogino K, Kakihara T, Abe M: Estimation of the critical micelle concentrations and the aggregation numbers of sodium alkyl sulfates by capillary-type isotachophoresis	139
-, Uchiyama H, Abe M: Fading phenomena of azo oil dye in anionic-nonionic surfactant solutions. - II. Effect of alkyl and/or oxyethylene groups in nonionic surfactant on the fading rate	604
Okubo M, Xu DH, Kanada K, Matsumoto T: Localization of carboxyl groups at surface layer of carboxylated polymer emulsion particles by alkali treatment	52
Okubo T: Microscopic observation of ordered colloids in sedimentation equilibrium and the important role of Debye screening length. 4. Gold particles (specific gravity = 19.3) in aqueous suspension	246
Ottewill RH, Satgugunathan R: Nonionic latices in aqueous media - Part 1. Preparation and characterization of polystyrene latices	522
Peled A, Naot D: A phenomenological model of photoprecipitation in a-Se colloid solutions	845
Petrov JG, Platikanov D: Equilibrium constants of ion exchange reactions between fatty acid monolayers and dissolved counter-ions	986
Platikanov D, Nedyalkov M, Rangelova N: Method for direct measurement of the film tension of black foam films at various capillary pressures	65
Puggelli M, Gabrielli G: Polymethylmethacrylate and stearic acid compatibility in monolayers	72
Schambit F, Schwuger MJ: Correlation between the phase behaviour of ternary systems and removal of oil in the washing process	432
Seki T, Akimoto T, Iijima T: The effect of the N-B transition of bovine and human serum albumins of the binding sites of fluorescent probes	1009
Shimabayashi S, Okuda M, Yagi M, Nakagaki M: Effect of polyvinylpyrrolidone and sodium dodecyl sulphate on the dispersity and fluidity of concentrated kaolinite suspension	148
Shinoda T, Itoh M: The effects of silica gel (carrier) on the activity (hydrogen yield) of photocatalytic decompensation of water over [pol-Ti(OBu) ₄ + CH ₃ OH]-complex	1099
Sircar S: Modelling adsorbent heterogeneity for adsorption from binary liquid mixtures	741
Söderman O, Guering P: On the determination of micellar aggregation numbers from the concentration dependence of ¹³ C NMR chemical shifts	723
Uchiyama H, Abe M, Ogino K: Fading phenomena of azo oil dye in anionic-nonionic surfactant solutions - III. The effect of solubilizers on the fading behaviour of azo oil dye in mixed surfactant systems	76
de Vringer T, Joosten JGH, Junginger HE: A study of the gel structure in a nonionic O/W cream by X-ray diffraction and microscopic methods	838
-, -, -: A study of the ageing of the gel structure in a nonionic O/W cream by X-ray diffraction, differential scanning calorimetry and spin-lattice relaxation measurements	167
Zaslavsky BYu, Mahmudov AU, Bagirov TO, Borovskaya AA, Gasanova GZ, Gulayeva ND, Levin VYu, Mestechkina NM, Miheeva LM, Rodnikova MN: Aqueous biphasic systems formed by nonionic polymers. II. Concentration effects of inorganic salts on phase separation	448
Zhao CL, Holl Y, Pith T, Lamba M: FTIR-ATR spectroscopic determination of the distribution of surfactants in latex films	548
Zosim Z, Gutnick DL, Rosenberg E: Effect of protein content on the surface activity and viscosity of emulsan	823
	442

Short Communications

Fujimatsu H, Kuroiwa S: Adhesion of a pair of polyethylene moldings by polyethylene gels	747
-, -: Thermochromism of polypropylene gels	938
Fujiwara Y: Estimation of σ_e on α - and β -form polypropylene	1027
Sakaiguchi Y, Shikata T, Urakami H, Tamura A, Hirata H: Electron microscope study of viscoelastic cationic surfactant systems	750
Strivens TA: Viscoelasticity-concentration relationships for non-aqueous concentrated dispersions	553

Editorial Dedication	1035
Announcements.....	180, 646, 754, 854, 1029, 1115
Book Reviews	83, 181, 271, 354, 458, 650

Supplements to appear in 1987

Progress in Colloid & Polymer Science, Vol. 73

New Trends in Colloid Science

Guest Editor: H. Hofmann (Bayreuth)

Progress in Colloid & Polymer Science, Vol. 74


Surface Forces and Surfactant Systems

Guest Editors: J. C. Eriksson (Stockholm), B. Lindman (Lund), and P. Stenius (Stockholm)

Progress in Colloid & Polymer Science, Vol. 75

Permanent and Transient Networks

Guest Editor: M. Pietralla and H.-G. Kilian (Ulm)



Digitized by the Internet Archive
in 2023 with funding from
Kahle/Austin Foundation

